		<u> </u>	_			
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1 .	936	(((mutily or multiple) near5 map\$4) or multi\$1map) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:15
S2	30408	address near5 (multiplexer or mux or selector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:16
S3	79570	data near5 (multiplexer or mux or selector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:16
S4	14595	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:16
S5	79	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:16
S6	72	S5 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:27
S7	38987	(protect\$3 or secur\$3) near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:19
S8	63984	(protect\$3 or secur\$3) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:19

S9	13	S6 and S8	US-PGPUB;	OR	ON	2006/07/25 14:20
39	13	30 and 36	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK	ON	2000/07/25 14.20
S10	13	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:44
S11	49	(multiplexer or mux or selector) with (coupled or connected) with TLB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:46
S12	2065	data near5 (multiplexer or mux or selecter) with (coupled or connected) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:47
S13	3	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:48
S14	3	S13 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31
S15	27678	(selecting or muliplexting or mux\$3) with data with (memories or (memory near2 devices))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31
S16	44	S1 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31

S17	40	S16 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:15
S18	1	selecting near5 data with protected with (un\$1protected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 16:11
S19	2	selecting near5 data with (protected or secur\$3) with (un\$1protected or unsecur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 16:13
S20	7994	selecting near5 data near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:14
S21	25027	selecting near5 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:14
S22	79972	selecting near5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:14
S23	1949	S20 and S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:15
S24	8	S1 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:15

					01:	2006/67/27 : 5 5:
S25	8	S24 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:30
S26 ·		S25 and (protect\$3 or secur\$3 or private)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:17
S28	53	farrokh-hashem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:53
S29	3	(multiple\$1mapping or multi\$1mapping or overloading) with (address near2 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:57
S30	341	(multiple\$1mapping or multi\$1mapping or overloading) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 15:15
531	0	S23 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:58
S32	7	S22 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 09:58
S33	2	"6898681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 09:59

S34	35	"4519032"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 14:45
S35	0	S34 and (multiple\$1mapping or multi\$1mapping or overloading)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 15:17
S36	0	S34 and (multiple\$1map\$4 or multi\$1map\$4 or overloading)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:13
S37	2	S34 and (multiple near2 mapping or multi near2 mapping or overloading)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 15:19
S38	83	"4636986"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:20
S39	0	S38 and (multiple near2 mapping or multi near2 mapping or overloading)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:22
S40	0	S38 and (multiple near2 mapping or multi near2 mapping or overloading or multi\$1map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:38
S41	44	S38 and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:23

S42	36	S41 and (multiplexer or mux or selector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:31
S43	24	"5175841"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:31
S44	0	S40 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 16:31
S45	18	S43 and (multiplexer or mux or selector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:31
S46	345	(multiple near2 mapping or multi near2 mapping or overloading or multi\$1map\$4) near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:38
S47	622	((multiple near2 map\$4) or (multi near2 map\$4) or overloading or multi\$1map\$4) near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:40
S48		S47 and ((address near (multiplexer or mux or selector)) and (data near (multiplexer or mux or selector)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:42
S50	2	"20030140244".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 10:47

S51	140639	((multiple near2 map\$4) or multi\$1map\$4) or ((map\$4 or translat\$3 or convert\$3) near5 (memories or (memory near2 (devices or modules or units or chips or boards))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:20
S52	128479	address near5 (multiplex\$3 or mux\$3 or select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:24
S53	432307	data near5 (multiplex\$3 or mux\$3 or select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:22
S54	16462	S51 and S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:22
S55	30600	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:23
S56	3113	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:23
S57	882	(address near5 (multiplex\$3 or mux\$3 or select\$3)) with (coupl\$3 or connect\$3) with (address near5 (translat\$3 or map\$4 or convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:26
S58	360	S54 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:26

S59	120	S55 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 13:26
S60	110	S59 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:43
S61	9	S60 and (multiple near5 map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:37
S62	552	(map\$4 or translat\$3 or convert\$3) with ((protected or secured or private) near2 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:41
S63	46	S62 and (data near5 (selector or multiplexer or mux))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:42
S64	457	S62 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:43
S65	26	S63 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:59
S66	17970	memory with (data near5 (multiplexer or selector or mux))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:58

S67	808	multiple near5 memory near5 map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:59
S68	72	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:59
S69	60	S68 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/28 15:21
S70	23	S55 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:20
S71	. 14	mapping with (secured or protected) with (unsecured or unprotected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:21
S72	14	S71 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:37
S73	6006	data with (multiplexer or mux or selector) with (coupled or connected) with (memory or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:08
S74	3651	address with (multiplexer or mux or selector) with (coupled or connected) with (memory or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:36

	· · · · · · · · · · · · · · · · · · ·					
S75	229	address with (multiplexer or mux or selector) with (coupled or connected) with (TLB or translat\$3 or map\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:37
S76	1907	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:37
S77	65	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:37
S78		S77 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:09
S79	16	S55 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:40
S80	1603	data near2 (multiplexer or mux or selector) with (coupled or connected) with (memory or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:08
S81	1168	address near2 (multiplexer or mux or selector) with (coupled or connected) with (memory or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:09
S82	259	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:09

S83	248	S82 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:09
S84	51	S55 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:14
S85	22	S84 and (map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S31	15	khan-moinul\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:46
S32	17	khan-moinul\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:46
S33		sheriff-tayib\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:46
S34	949	(((multiply or multiple) near5 map\$4) or multi\$1map) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:50
S35	0	S34 and ("20030725")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:50
S36	808	S34 and (@ad<"20030725")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:51
S37	120644	address near5 (multiplex\$3 or MUX or select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:53
S38	430362	data near5 (multiplex\$3 or MUX or select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:53

S39	63823	S37 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:53
S40	237	S36 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 13:53
S41	32221	(protect\$3 or secure\$3) near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 13:54
S42	31	S40 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 13:55